Jour. agric. Res. China (中華農業研究) 28(4):311~334 (1979)

A check list and host plant index of whiteflies from Taiwan[1]

Charles Chia-chu Tao[2]

Abstract: A check list and host plant index of whiteflies (Homoptera : Aleyrodidae) from Taiwan were prepared. It includes 2 subfamilies, 30 genera and 125 species in total. More localities and host plant records were added to the most species covered in Mound and Haley's Catalogue

The whiteflies (Homoptera : Aleyrodidae)are common and very abundant in Taiwan. They are not only sometimes inducing a serious infestation of sooty mould on the cultivated plants and forests but also acting as the vectors of plant diseases. However, the extensive use of insecticides combating the target insect pest of a crop usually prevailed on the heavy occurrence of whitefly which accordingly became a major pest.

Dr. R. Takahashi reported more than 100 species of whiteflies from Taiwan and published in different countries. The compiler studied all his identified specimens and literature at the insect collection of Taiwan Agricultural Research Institute. This paper includes 2 subfamilies, 30 genera and 125 species of white flies with the arranging system similar to chect list of scale insects of Taiwan written by the compiler in 1978. More detailed localities and host plants are also added to the most species which were included in Mound and Halsey's Catalogue.

The compiler wishes to express his sincere thanks to Mrs. Chang, Y. C. Lien, Entomologist in charge of Forest Protection, Taiwan Forestry Research Institute and Mrs. Shui-chen Chiu Wan, Seniro Entomologist and Head of the Department of Applied Zoology, Taiwan Agricultural Research Institute for their encouragement in making this study possible.

Subfamily **ALEYRODINAE**

Genus **Acanthaleyrodes** Takahashi 1931

J. Soc. Trop. Agric. Taihoku 3: 220. Type: *Acanthaleyrodes callicarpae* Takahashi 1931.

Acanthaleyrodes callicarpae Takahashi 1931

J. Soc. Trop. Agric. Taihoku 3: 221, fig.

Hosts: *Callicarpa formosana*, *Mallotus* sp., *Rubus* sp..

Locality record: Taipei , Hsintien, Kuangyinshan, Chinyang

Genus **Aleurocanthus** Quaintance & Baker 1914

U. S. Dept. Agric Bur. Ent. Techn. Ser. 27: 102. Type: *Aleurodes spinifera* Quaintance 1903.

Aleurocanthus cinnamomi Takahashi 1931

Trans. Nat. Hist. Soc, Formosa 21: 205, figs. ; Shiraki 1913 Spec. Rept. Formosa Agric. Expt. Stat. 8: 107, *Aleurodes spinosus* Kuwana; Maki

1. Contribution No. 907 from the Taiwan Agricultural Reseaerch Institute.
2. Retired senior entomologist, TARI. Wufeng, Taichung Hsien, Taiwan 431, ROC.

1915 Spec. Rept. Formosa Forest Expt. Stat. 1: 31, *Aleurodes spinosus* Kuwana.

Hosts: *Cinnamomum camphora*, *C. c.* var. *nominale*, *Machilus* sp..

Locality record:Taipei , Hsintien, Wulai, Peitau, Yangmingshan,
Sunchitsun, Tungshih, Taimali, Pingtung, Kueitzuchiao, Ouluanpi.

Aleurocanthus eugeniae Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 20, fig. .

Host: *Eugenia* sp.

Locality record: Ouluanpi.

Aleurocanthus mangiferae Quaintance & Baker 1917

Proc. U. S. Nat. Mus. Washington 51: 345, pl. 36, figs. ; Takahashi 1934 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 68.

Host: *Lithocarpus uraiana*.

Locality record: Shuishe.

Aleurocanthus spiniferus(Quaintance 1903)

Can. Ent. 35: 63, *Aleurodes spinifera* Quaintance & Baker 1914 U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 102, *Aleurocanthus spiniferus*

Syn. : *Aleurodes citricola* Newstead 1911, *Aleurocanthus spiniferus* var. *intermedia* Silvestri 1927, *Aleurocanthus rosae* Singh 1931, *Aleurocanthus citricolus* (Newstead 1911).

Hosts: *Anona reticulata*, *A. squamosa*, *Citrus* spp', *Erycibe acutifoliae*, *Eriobotrya japonica*, *Liquidambar formosana*, *Meliosma rigida*, *Pyrus serotina*, *Rosa indica*, *Salix glandulosa* var. *warburgi*, *Sloanea dasycarpa*, *Zanthoxylum* (*Fagara*) *nitida*.

Locality record: Taipei , Washoshu, Hsinpu, Tungshih, Chuchi, Shilin, Chihtuan.

Aleurocanthus woglumi Ashby 1915

Bull. Dept. Agric. Jamaica 2: 321; Takahashi 1935 Kontyu 9: 281.

Syn. : *Aleurocanthus punjabensis* Corbett 1935. *A. w.* Ashby var. *formosana* Takahashi 1935.

Hosts: *Gymnosporia diversifolia*, *Pyracantha formosana*, *Scolopia oldhami*

Locality record:Taipei , Yangmingshan, Taipingshan, Hsintien, Chiapaotai, Toran, Ouluanpi, Kueitzuchiao

Aleurocanthus spinosus (Kuwana 1911)

Pomona Coll. J. Ent. 3: 626, *Aleyrodes*; Quainatnce & Baker 1914 U. S. D. A. Bur. Ent. Techn., Ser. 27 : 102, *Aleurocanthus*.

Hosts: *Gardenia angusta*, *Melastomacand - idum*, *Piper futokadsura*, *Psidium guagava*, *Scolopia oldhami*.

Locality record: Taipei , Washoshu, Shilin, Kanko, Taoyuan, Panchiao, Kueitzuchiao

Genus **Aleurocybotus** Quaintance & Baker 1914

U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 101. Type: *Aleurodes graminicola* Quaintance 1899.

Aleurocybotus setiferus Quaintance & Baker 1917

Proc. U. S. Nat. Mus. Washington 51: 357, pl. 11, fig. 2; Takahashi 1931 Trans. Nat. Hist. Soc. Formosa 21: 208.

Host: *Imperata*? .

Locality record: Taipei .

Genus **Aleurolobus** Quaintance & Baker 1914

U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 103, pl. 35. Type: *Aleurodes marlatii* Quaintance 1903.

Aleurolobus barodensis (Maskell 1895)

Trans. N. Z. Inst. 28: 424, *Aleurodes*; Quaintance & Baker 1914 U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 104, *Aleurolobus*; Takahashi 1933 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 19.

Syn. : *Aleurodes longicornis* Zehntner 1897.

Host: *Miscanthus* sp.

Locality record: Taipei .

Aleurolobus citri Takahashi 1932

Dept. Agric. Govot. Res. Inst. Formosa Rept. 59: 34, fig.

Host: *Citrus* spp.

Locality record: Taipei .

Aleurolobus hederae Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept.

66: 63.

Host: *Hedera formosana.*

Locality record: Taipei , Hungmao nr. Tungshih.

Aleurolobus marlatti (Quanitance 1903)

Can. Ent. 35: 61, *Aleurodes*; Quaintance & Baker 1914 U. S. Dept. Agric. Bur. Ent. Techn. Ser 27: 108, *Aleurolobus*; Takahashi 1932 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 34.

Syn. *Aleurocanthus spiniferus* Shiraki & Maki nec Quaintance,

Host: *Citrus* spp.

Locality record: Taipei , Washoshu.

Aleurolobus oplismeni Takahashi 1931

Trans. Nat. Hist. Soc. Formosa 21: 261, figs.

Host: *Oplismenus compositus*

Locality record: Taipei , Hsintien,

Aleurolobus philippinensis Quaintance & Baker 1917

Proc. U. S. Nat. Mus. 51: 369, pl. 44, figs. 1—20; Takahashi 1932 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 32.

Hosts: *Ardisia (Bladhia) siefoldii, Gardenia florida , Salix* sp.

Locality record: Taipei , Shilin, Taitung.

Aleurolobus rhododendri Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 62, fig.

Host: *Rhododendron* sp.

Locality record: Yangmingshan.

Aleurolobus scolopiae Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 19, fig.

Host: *Scolopia oldhami.*

Locality record: Ouluanpi.

Aleurolobus setigerus Quaintance & Baker 1917

Proc. U. S. Nat, Mus. 51: 372, pl. 45, figs. 1—6; Takahashi 1942 Trans. Nat. Host. Soc. Formosa 32: 207.

Hosts: *Psidium guajava, Rhodomyrtus* sp., *Scolopia oldhami.*

Locality record: Wulai.

Genus **Aleuroplatus** Quaintance & Baker 1914

U. S. Dept. Agric. Bur. Ent. Techn. Ser 27: 98. Type: *Aleuroplatus quercusaquaticae* Quaintance & Baker 1914

Aleuroplatus fici Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 31, fig.

Hosts: *Ficus retusa, F. swinhoei.*

Locality record: Taipei , Changhua, Pingtung, Ouluanpi, Hsuhai,

Aleuroplatus pectiniferus Quaintance & Baker 1917

Proc. U. S. Nat. Mu. Washingtson 51: 393; Takahashi 1936 Ling. Sci. J. 15: 455.

Hosts: *Alnus formosana, Bischofia javanica, Decaspermum fruticosum, Eugenia jambos, Evodia roxburgiana, Ficus vasculosa, Gordonia anomala, Morus* sp., *Salix* sp., *Urena lobata.*

Locality record: Taipei , Pingtung.

Genus **Aleurothrixus** Quaintance & Baker 1914

U. S. Dept. Agric. Bur Ent. Techn. Ser. 27: 103. Type: *Aleyrodes howardi* Quaintance 1907, syn. of *Aleurodes floccosa* Maskell 1895.

Aleurothrixus antidesmae Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 13, figs.

Host: *Antidesma* sp.

Locality record: Kueitzuchiao.

Aleurothrixus smilaceti Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 64, fig.

Host: *Smilax* sp.

Locality record: Taipei , Chihsingshan.

Genus **Aleurotrachelus** Quaintance & Baker 1914

U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 103. Takahashi 1940 Kontyu 14: 30. Type: *Aleurodes tracheifer* Quaintance 1900.

Aleurotrachelus alpinus Takahashi 1940

Kontyu 14: 29.

Host: *Rubus* sp.

Locality record: Taipingshan.

Aleurotrachelus caerulescens Singh 1931

Mem. Dept. Agric. India 12: 59, figs. ; Takahashi 1951 Misc. Rept. Res. Inst. Nat. Resource, Tokyo 19—20: 20, further description.

Hosts: *Bischofia javanica, Celtis sinensis. Gardenia florida, Lagerstromia indica, Myrica rubra, Salix* sp. *Scolopia oldhami.*

Locality record: Taipei , Yuanshan, Ouluanpi.

Aleurotrachelus elatostemae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 42, fig.

Hosts: *Elatostema lineolatum, Oreocnide pedinculata*

Locality record: Taipingshan.

Aleurotrachelus fissistigmae Takahashi 1931

Trnas. Nat. Hist. Soc. Formosa 21: 264: fig.

Host: *Fissistigma oldhami.*

Locality record: Hsintien, Wulai, Shihtoushan,

Aleurotrachelus maesae Takahashi 1935

Dept. Agric. Gov't. Res. Inst, Formosa Rept. 66: 57, figs.

Hosts: *Maesa formosana, Thea* sp.

Locality record: Chienching.

Aleurotrachelus micheliae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rep. 59: 43, figs.

Host: *Michelia* sp.

Locality record: Pingtung.

Aleurotrachelus pyracanthus Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 58, figs.

Host: *Pyracantha koidzumi.*

Locality record: Taitung.

Aleurotrachelus rubi Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 16, figs.

Host: *Rubus* sp.

Locality record: Hsintien, Chiayi.

Aleurotrachelus taiwanus Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 45.

Host *Pachyrhizus erosus.*

Locality record: Hsintien.

Aleurotrachelus tuberculatus Singh 1933

Rec. Ind. Mus. 35: 343, fig. ; Takahashi 1935 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 40.

Hosts: *Dalbergia* sp. *Lindera oldhami.*

Locality record: Hsintien.

Aleurotrachelus turpiniae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 45.

Hosts: *Diospyros kaki, Turpinia formosana.*

Locality record: Wulai.

Genus **Aleurotuberculatus** Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 20. Type: *Aleurotuberculatus gordoniae* Takahashi 1932.

Syn. : *Japanaleyrodes* Zahradink 1962.

Aleurotuberculatus elatostemae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 23, figs.

Host: *Elatostema* sp.

Locality record: Yangmingshan.

Aleurotuberculatus ficicola Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 24, figs.

Hosts: *Ficus foveolata, F. retusa, F.* sp., *Morus alba.*

Locality record: Wulai, Juisui, Taipingshan.

Aleurotuberculatus gordoniae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59:21 figs.

Hosts: *Cinnamomum camphora, C, japonicum, Decaspermum fruticosum, Eurya E. japonica, Ficus retusa, Gordonia axillaris, G. anomala, G.* sp., *Ilex pubscens, Liquidambar formosana, Machilus thunbergi, M.* sp., *Photinia incida, Pourthiaea benthamiana, Schefflera (Agalma) arboricola, S. Iutchuense, Symplocos (Bobusa) glauca.*

Locality record: Wulai, Hsintien, Taipei ,

Yangmingshan, Kankou

Aleurotuberculatus guyavae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 22, figs.

Hosts: *Cinnamomum* sp. *Liquidambar formosana, Psidium guajava.*

Locality record: Taipei

Aleurotuberculatus jasmini Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 26, figs.

Hosts: *Ardisia sieboldi, Bischofia javanica, Bladhia* sp., *Celtis sinensis, Jasminum sambac, J.* sp., *Maesa formosana, Magnolia coco, Murraya exotica, M. paniculata, Osmanthus fragrans, Pachira macrocarpa.*

Locality record: Taipei

Aleurotuberculatus kuwanai Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 54.

Host: *Murraya* sp.

Locality reocrd: Shuishe.

Aleurotuberculatus lagerstroemiae Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 57.

Hosts: *Lagerstroemia indica, L. subcostata.*

Locality record: Hsintien, Chihpen.

Aleurotuberculatus latus Takahashi 1934

Dept. Agric. Gov't. Rēs. Inst. Formosa Rept. 63: 47.

Hosts: *Cinnamomum randaiense, Neolitsea acuminatissima.*

Locality record: Shuishe.

Aleurotuberculatus lithocarpi Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 50.

Host: *Lithocarpus uraiana.*

Locality record: Lileng nr. Tungshih, Shuishe.

Aleurotuberculatus longispinus Takahashi 1934

Dept. Agric. Gov't. Rēs. Inst. Formosa Rept. 63: 51.

Host: a shrub not determined.

Locality record: Chihtaun.

Aleurotuberculatus malloti Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 25, figs.

Host: *Mallotus* sp.

Locality record: Hsintien, Kankou.

Aleurotuberculatus melastomae Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 52.

Host: *Melastoma candidum.*

Locality record: Yangmingshan.

Aleurotuberculatus minutus (Singh 1931)

Mem. Dept. Agric. India 12: 42, *Dialeuroeds*; Takahashi 1934 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 50, *Aleurotuberculatus.*

Host: *Ardisia* sp.

Locality record: Pingtung.

Aleurotuberculatus multipori Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 53, figs.

Host: *Oreocnida pedunculata.*

Locality record: Holuan nr. Mimotengshi.

Aleurotuberculatus murrayae (Singh 1931)

Mem. Dept. Agric. India 12: 62, *Aleurotrachelus*; Takahashi 1932 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 20, *Aleurotuberculatus*; 1934 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 55, figs.

Hosts: *Cinnamomum* sp., *Helicia formosana.*

Locality record: Shuishe.

Aleurotuberculatus neolitseae Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 55.

Host: *Neolitsea acuminatissima.*

Locality record: Shuishe, Chuifen nr. Taitung, Shihtoushan.

Aleurotuberculatus piperis Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept.

66: 52, figs.

Host: *Piper futokadsura.*

Locality record: Mimotengshi

Aleurotuberculatus psidii (Singh 1931)

Mem. Dept. Agric. India 12: 61, *Aleurotrachelus*; Takahashi 1932 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 20.

Hosts: *Archras sapota, Bridelia balansae, B. ovata , Celtis sinensis, C.* sp., *Cinnamomum camphora, C. c.* var. *nominale, Eugenia jambos, Euphoria longana, Helicia cochinchinensis, Machilus zinhoensis, Maesa formosana, M. japonica, M.* sp., *Morus alba, Nephelium litchi, Osmanthus fragrans, Prunus salicia Psidium guajava, Pyrus pyriofolia, Salix babylonica, S.* sp., *Sarcandra glabra, Vitis vinifera.*

Locality record: Taipei , Washoshu, Chiayi , Kankou, Kueitzuchiao

Aleurotuberculatus pyracanthae Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 12, fig.

Host: *Pyracantha koidzumi.*

Locality record: Taitung.

Aleurotuberculatus rhododendri Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 51, figs.

Host: Rhododendron sp..

Locality record: Juisui, Taitung.

Aleurotuberculatus suishanus Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 48.

Hosts: *Ardisia*(*Bladhia*)sp., a plant of Lauraceae.

Locality record: Shuishe, Mutan

Aleurotuberculatus thysanospermi Takaha-shi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 56.

Host: *Thysanospermum diffisum.*

Locality record: Chihtuan.

Aleurotuberculatus uraianus Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 27, figs.

Hosts: *Clerodendron* sp., *Maesa* sp., *Piper* sp.

Locality record: Wulai, Yushih, Chuifen (Taitung).

Genus **Aleyrodes** Latreille 1795

Magazin encycl 4: 93. Type: *Phalaenia* (*Tinea*) *Prolettella* Lin.

Aleyrodes shizuokensis Kuwana 1911

Pomona Coll. J. Ent. 3: 620; Takahashi 1951 Misc. Rep. Res. Inst. Nat. Resourc Tokyo 19-20: 19, redescription.

Host: *Sonchus oleracea.*

Locality record: Paoshan, Liukuei.

Aleyrodes taiheisanus Takahashi 1939

Kontyu 13: 77.

Host: *Sassafras* (*Yushunia*) *randaiensis.*

Locality record: Taipingshan.

Genus **Apobemisia** Takahashi 1952

Insecta Matsumurana 18: 52. Type: *Bemisia kuwanai* Takahashi 1934.

Apobemisia celti (Takahashi 1932)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 40, figs., *Bemisia.*

Host: *Celtis sinensis.*

Locality record: Taipei .

Apobemisia kuwanai (Takahashi 1934)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 60, fig., *Bemisia.*

Host: *Ficus pumila, F.* sp.,

Locality record: Lileng nr. Tungshih.

Genus **Asialeyrodes** Corbett 1935

J. F. M. S. Mus. Kuala Lumpur 17: 841. Type: *Asialeyrodes lumpurensis* Corbett 1935.

Asialeyrodes maesae (Takahashi 1934)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 46, *Pseudaleurodes*; 1942 Trans. Nat. Hist. Soc. Formosa 32: 207, *Asialeyrodes.*

Host: *Maesa formosana.*

Locality record: Taipei

Genus **Asterbemisia** Trehan 1940

Trans. R. Ent. Soc. London 90: 593, figs. Type: *Aleurodes carpini* Koch 1857. Syn. : *Bemisia (Neobemisia)* Visnya 1941

Asterobemisia yanagicola (Takahashi 1933)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 17, *Bemisia*; Zahradnik 1961 Sb. faun. Prac ent. Odd. nar. Mus. Praze: 61, *Asterobemisia*. Syn: *Neobemisia yanagicola* Zahradnik 1961, *Bemisia yanagicola* Kuwana 1933.

Hosts: *Salix glandulosa* var. *warburgi*, *S.* sp.

Locality record: Taipei

Geuns **Bemisia** Quaintance & Baker 1914

U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 99. Type: *Bemsiia inconspicua* Quaintance 1900 =*tabaci*. Syn. : *Roucasia* Goux 1940, *Bemisia (Roucasia)* Goux 1954.

Bemisia formosana Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 18, figs.

Host: a species of Graminae.

Locality record: Kueitzuchiao.

Bemisia giffardi (Kotinsky 1907)

Bull. Bd. Commnr. Agric. For. Hawaii Div. Ent. 2: 94. *Aleyrodes*; Trans. Nat. Hist. Soc. Formosa 32: 173, *Bemisia*.

Syn. : *Bemisia giffardi bispina* Young 1942, *Asterobemisia helyi* Dumbleton 1956. *Bemisia jasminum* David & Subramaniam 1976.

Host: *Citrus* spp.

Locality record: Washoshu, Taipei

Bemisia pongamiae Takahashi 1931

J. Soc. Trop. Agric. Taihoku 3: 223, fig.

Host: *Pongamia pinnata*.

Locality record: Taipei

Bemisia tabaci (Gennadius 1889)

Ellenike Georgia 5: 1, *Aleurodes*; Takahashi 1933 Dept. Agric. Gov't. Rēs. Inst. Formosa Rept. 60: 17, *Bemisia hibisci* Takahashi.

Syn. : *Aleurodes inconspicua* Quaintance 1900, *Bemisia emiliae* Corbett 1926, *Bemisia inconspicua* (Quaintance) Quaintnce & Baaker 1914, *Bemisia costa-lima* Bondar 1928, *Bemisia signata* Bondar 1928, *Bemisia bahiana* Bondar 1928, *Bemisia gossypieperda* Misra & Lamba 1929, *Bemisia achyanthes* Singh 1931, *Bemisia longispina* Priesner & Hosny 1934, *Bemisia gossypieperda* var. *mosaicinectura* Ghesquiere 1934, *Bemisia goldingi* Corbett 1935, *Bemisia nigeriensis* Corbett 1935, *Bemisia rhodesiaensis* Corbett 1936, *Bemisia manihotis* Frappa 1938, *Bemisia vayssierei* Frappa 1939, *Bemisia (Neobemisia) hibisci* Takahashi 1941. *Bemisia (Neobemisia) rhodesiaensis* Corbett 1941, *Bemisia lonicerae* Takahashi 1957, *Bemisia minima* Danzig 1964, *Bemisia miniscua* Danzig 1964, *Bemisia hibisci* Takahashi 1933.

Hots: *Boehmeria*, *frutescens*, *Crotalaria* sp., *Gossypium* sp. *Hibiscus rosa-sinensis*, *Nicotiana glutinosa*, *N. tobacum*.

Locality record: Taipei , Hsintien, Pingtung

Genus **Dialeurodes** Cockerell 1902

Proc. Acad. Nat. Sci. Philad. 54: 280. Type: *Aleyrodes citri* Riley & Howard 1893 syn. of Ashmead 1885: Takahashi 1937 Lingnan Sci. J. 16: 21. Syn. (*Dialeuronomada*) Quaintance & Baker 1917, *D.* (*Dialeuroplata*) Quaintance & Baker 1917, *D.* (*Gigaleurodes*) Quaintance & Baker 1917, *D.* (*Rabdostigma*) Quaintance & Baker 1917.

Dialeurodes agalmae Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 44, figs.

Host: *Schefflera (Agalma) taiwaniana*.

Locality record: Suo.

Dialeurodes ardisiae Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 50: figs.

Host: *Ardisa (Bladhia)* sp..

Locality record: Pingtung.

Dialeurodes bladhiae Takahashi 1931

J. Soc. Trop. Agric. Taihoku 3: 219, figs.

Hosts: *Bladhia(Ardisia) sieboldii*, *Camellia*

sp., *Eugenia* sp., *Eurya acuminata*, *Lithocarpus* sp.. *Viburnum awabucki*,

Locality record: Yangmingshan, Shilin, Kankou, Taipei , Hsintien. Wulai, Kueishan. Chihtuan, Lalashan, Chiapaotai, Mutan, Pingtung, Shuishe, Kuantzuling

Dialeurodes chitinosa Takahashi 1937

Lingnan Sci. J. 16: 21, figs.

Host: *Cinnamomum* sp..

Locality record: Meishan, Kueishan

Daileurodes cinnamomi Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 13, figs. Chang 1971 Ann. Rept. Tobacco Res. Inst. TWMB:2.

Hosts: *Achrao sapta*, *Cinnamomumjaponica*, *C. camphor*, *Citrus* spp. *Cryptocarya chinensis*. *Diospyros exiantha*, *Elacocarpus serratus*, *Eugenia jambos*, *Nephelium lichi*,

Locality record: Wulai

Daileurodes citri (Ashmead 1885)

Florida Dispatch 2: 704, *Aleyrodes*; Essig 1932 J. Econ. Ent. 25: 1207. Takahashi 1931 Trans. Nat. Hist. Soc. Formosa 21: 203; 1932Takahashi Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 9 *Dialeurodes tuberculatus*; 1936 Philip. J. Sci. 59: 219, var. *hederae* Takahashi; 1935 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 43, var. *kinyana*.

Syn. : *Aleurodes citrifolii* Foster 1892, *Aleurodes eugeniae* var. *aurantii* Maskell 1895, *Aleurodes kuchinasii* Sasaki 1908, *Dialeurodes tuberculatus* Takahashi 1932, *Dialeurodes citri* (Ashmead) var. *kinyana* Takahashi 1935, *Dialeurodes citri* (Ashmead) var. *hederae* Takahashi 1936 ; Chang 1971 Ann. Rept. Tobacco Res. Inst. TWMB:2.

Hosts: *Arabia* sp., *Ardisia*(*Bladhia*)*glabra*, *A. sieboldi*, *Bischofia japanica*, *B. javanica*, *Citrus aucantium* var. *formosenus*, *D. iospyros kaki*, *Ehretia* sp., *Gardenia florida*, *Gjasminoides*, *Glochidion* sp., *Hedera formosana*, *Helicia* sp., *Hiptage bengalensis*, *H. madablota*, *Lithocarpus* sp., *Magnolia coco*, *Machilus* sp., *Meliosma rhoifolia*, *M. rigida*, *Pyrus pyrifolia*, *Pyracantha koidzumi*, *Schefflera arboricola* *Turpinia formosana*. *Wendlandia glabrata*,

Locality record: Wulai, Taipei , Shilin, Yangmingshan, Washoshu, Chinyang, Taipingshan, Pingtung, Liming, Pahsienshan. Lalashan. Kueitzuchiao, Shuishe, Puli, Chiapaotai, Kankon.

Dialeurodes daphniphylli Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 10, figs.

Hosts: *Daphniphyllum glaucescens*, *D. membranaceum*.

Locality record: Yangmingshan Holuan, Shuishe.

Dialeurodes dioscoreae Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 43, figs.

Host: *Dioscorea rhipogonioides*.

Locality record: Taipei , Panpien.

Dialeurodes elaeagni Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 45, figs.

Host; *Elaeagnus formosana*.

Locality record: Chihpen.

Dialeurodes euryae Takahashi 1940

Kontyu 14: 27, fig.

Host: *Eurya glaberrima*.

Locality record: Nengkao.

Dialeurodes ficicola Takahashi 1936

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 47.

Host: *Ficus rigida*.

Locality record: Juisui

Dialeurodes formosanensis Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 9, figs.

Hosts: *Boehmeria densiflora*, *Ilex creoata*, *Maesa* sp., *Pieris japonicum*, *Scheffera* (*Heptapleurum*) sp., *Viburnum awabucki*.

Locality record: Hisintien, Kueitzuchiao, Yushih;

Dialeurodes kirkaldyi (Kotinsky 1907)

Bull. Bd. Commnr Agric. For. Hawaii Div. Ent. 2: 95, *Aleyrodes*, Russell 1964 Fla. Ent. 47: 3 ; Chang 1971 Ann. Rcpt. Tobacco Res. Inst. TWMB:4.

Hosts *Citrus* spp., *Hihtage bengalensis*, *H. madablota*. *Gardenia* sp., *Jasminum* sp., *Lagerstroemia indica*, *Plumeria acuminata*, *Terminaliacatappa*.

Locality record: Taipei .

Dialeurodes lithocarpi Takahashi 1931

J. Soc. Trop. Agric. Taihoku 3: 218, figs.

Host: *Lithocarpus ternaticulupa*.

Locality record: Shuishe.

Dialeurodes monticola Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 42, figs.

Host: *Daphniphyllum* sp.

Locality record: Wulai, Lalashan.

Dialeurodes multipori Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 11, figs.

Host: *Daphniphyllum glaucescens.*

Locality record: Yangmimgshan.

Dialeurodes piperis Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63:44, figs.

Host: *Piper* sp..

Locality record: Wulai, Lalashan, Chinyang, Mimotengshi.

Dialeurodes rarasana Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 41, figs.

Host: ? *Lithocarpus* sp.

Locality record: Wulai, Lalashan.

Dialeurodes shitenensis Takahashi 1933

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 11, figs.

Host: *Machilus* sp..

Locality record: Hsintien.

Dialeurodes subrotunda Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 41, figs.

Hosts: *Actinodaphne* sp., *Machilus* sp., *Phoebe* sp.

Locality record :Chihpen

Dialeurodes tetrastigmae Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 39, figs.

Host: *Tetrastigma umbellata,*

Locality record: Lileng nr. Tungshih, Kueitzechiao.

Dialeurodes vanieriae Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66:46, figs.

Host: *Cudrania (Vanieria) cochinchinensis.*

Locality record: Mutan nr. Henchun

Genus **Dialeuropora** Quaintance & Baker 1917

Proc. U. S. Nat. Mus. 51: 434, subgen. of *Dialeurodes*; Takahashi 1934 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 46; *Daileuropora* Type: *Dialeurodes (Dialeuropora) decempunctata* Quaintance & Baker 1917.

Dialeuropora brideliae (Takahashi 1932)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 15, figs., *Dialeurodes (Dialeuropora)* .

Hosts: *Bridelia ovata, Machilus* sp., *Stauntonia* sp..

Locality record: Taipei , Wulai, Hsintien, Shanchiao, Sanhsia.

Dialeuropora decempunctata (Quaintance & Baker 1917)

Proc. U. S. Nat. Mus. Washington 51: 434, pl. 76, figs. 1—7, *Dialeurodes (Dialeuropora) decempunctata*; Takahashi 1932 Dept. Agric. Gov't Res. Inst. Formosa Rept. 59: 14, *Dialeurodes (Dialeurodopora) setigerus*; 1934 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63:46, *Dialeurodopora setigera*;Chang 1971 Ann. Rept. Tobacco Res. Inst. TWMB:4.

Hosts:*Cinnamomum camphor, Fragaria grandiflora, Glochidon fortunei, Machilus* sp., *Morus alba, Persca americana, Rubus* sp. Locality record: Hsintien, Tungshih, Juisui.

Dialeuropora hassenzanensis (Takahashi 1934)

Dept. Agric. Gov't. Res. Inst. Formosa Rept, 63; 45, *Dialeurodes.*

Host: a plant of Lauraceae

Locality record: Chiapaotai.

Dialeuropora murrayae (Takahashi 1931)

Trans. Nat. Hist. Soc. Formosa 21: 262, fig., *Dialeurodes*; Russell 1959 Proc. Ent. Soc. Washington 61: 186, *Dialeuropora.*

Host: *Murraya* sp.

Locality record: Taipei , Taitung.

Dialeuropora viburni (Takahashi 1933)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 8, figs., *Dialeurodes (Dialeuropora)* .

Host: *Viburnum awabucki.*

Locality record: Ouluanpi, Chinyang.

Genus **Mixaleyrodes** Takahashi 1936

Kontyu 10: 150. Type: *Mixaleyrodes polystichi* Takahashi 1936

Mixaleyrodes polystichi Takahashi 1936

Kontyu 10: 150.

Host: *Polystichum* sp..

Locality record: Taipei .

Genus **Neomaskellia** Quaintance & Baker 1913

U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 91. Type: *Aleurodes comata* Maskell 1893.

Neomaskellia bergii (Signoret 1868)

Annls. Soc. Ent. Fr. 4:395, *Aleurodes*; Quaintance & Baker 1914 U. S. D. A. Bur. Ent. Techn. Ser. 27: 104, *Neomaskellia*.

Host: *Saccharum officinarum*.

Locality record : Hsinhua, Henchun.

Genus **Odontaleyrodes** Takahashi 1954

Insecta Matsumurana 18: 49, Type: *Aleyrodes akebiae* Kuwana 1911; Takahashi 1955 Mushi 29: 9.

Odontaleyrodes damanacanthi (Takahashi 1935)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 61, *Pealius*; 1955 Mushi 29: 12, *Odontaleyrodes*.

Hosts: *Damnacanthus indicus* var. *formosanus*, *Eurya acuminata*.

Locality record: Mimotengshi, Shihkuei.

Genus **Parabemisia** Takahashi 1952

Misc. Rep. Res. Inst. Nat. Resour. Tokyo 25: 21. Type: *Parabemisia maculata* Takahashi 1952.

Parabemisia aceris (Takahashi 1931)

Trans. Nat, Hist. Soc. Formosa 21: 204, figs., *Bemisia*; 1952 Misc. Rep. Res. Inst. Nat. Resour. Tokyo 25: 23, *Parabemisia*.

Host: *Acer* sp..

Locality record: Taipei , Kulu, Panpien,

Parabemisia myricae (Kuwana 1927)

Annot. Zool. Jap. 2: 249, figs., *Bemisia*; Takahashi 1952 Misc. Rep. Res. Inst. Nat. Resour. Tokyo 25: 24, *Parabemisia*.

Hosts: *Elaeocarpus serratus*, *Machilus* sp., *Maesa japonica*, *Psidium guajava*.

Locality record: Hsintien, Wulai, Taipei , Washoshu.

Genus **Pealius** Quaintance & Baker 1914

U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 99, Type: *Aleyrodes maskelli* Bemis 1904; Sampson 1943 Syn: *Corbettella*.

Pealius kankoensis (Takahashi 1933)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 15, fig., *Trialeurodes*; 1935 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 63, *Pealius*.

Host: *Quercus glauca*.

Locality record: Kanko nr, Hsintien, Chinyang.

Pealius liquidambari (Takahashi 1932)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 37, *Aleyrodes*; Mound & Halsey 1978 White fly of the world: 181, *Pealius*.

Host: *Liquidambar formosana*.

Locality record: Taipei , Hsintien, Chiayi.

Pealius longispinus Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 41.

Host: *Ficus beecheyana*.

Locality record: Yangmingshan.

Pealius machili Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66:62, figs.

Host: *Machilus* sp..

Locality record: Mutan.

Pealius mori (Takahashi 1932)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 38, *Trialeurodes*; Mound & Halsey 1978 White fly of the world: 182, *Pealius*.

Host: *Morus alba*, *Salix* sp..

Locality record: Taipei , Hsintien.

Pealius polygoni Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 59, fig. ; 1957 Insecta Matsumurana 21: 21, figs., characters distinguishing pupal case.

Host: *Polygonum* sp..

Locality record: Taipei .

Pealius psychotriae Takahashi 1935

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 59, figs.

Host: *Psychotria serpens.*

Locality record: Taipei , Yangmingshan.

Pealius rubi Takahashi 1936

Philipp. J. Sci. 59: 219, fig. ; 1957 Insecta Matsumurana 21: 21, figs., characters distinguishing pupal case.

Host: *Rubus* sp.

Locality rcord: Taipei .

Genus **Pentaleyrodes** Takahashi 1937

Kontyu 11: 310. Type: *Aleyrodes cinnamomi* Takahashi 1932.

Pentaleyrodes cinnamomi(Takahashi 1932)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 36, *Aleyrodes*; 1937 Kontyu 11: 319, fg., *Pentaleyrodes cinnamomi* var. *raishana.*

Hosts: *Cinnamomum japonicum. C. randaiense, Cryptocarya chinensis, Machilus* sp., *Phoebe formosana.*

Locality record: Wulai, Chaochow, Shuishe.

Genus **Rhachisphora** Quaintane & Baker 1917

Proc. U. S. Nat. Mus. 51: 430. Type: *Dialeurodes (Rachisphora) trilobitoides* Quaintance & Baker 1917; Takahashi 1952 Kontyu 19: 22, as a full genus.

Rachisphora fici (Takahashi 1932)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 12, *Dialeurodes (Rachisphora)* ; Mound and Halsey 1978 White fly of the world:186, *Rachisphora.* Chang 1971 Ann. Rept. Tobacco Res. Inst. TWMB: 3.

Host : *Adinandra* sp., *Ardisia (Bladhia)* sp., *Bischofia japonica, Celtis, sinensis, Ficus swinhoei, F. vasculosa, F. wightiana, Manihot utilissima, Rhamnus formosana, Sarcanpra glabra, Schefflera octophylla, Villebrunea pedunculata, Zanthoxylum (Fagaraa) ilanthoides.*

Locality record: Taipei , Kueitzechia, Shuishe, Kaohsiung, Shanchiao, Yangmingshan. Chiayi

Rhachisphora koshuensis (Takahashi 1933)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 6, figs., *Dialeurodes*; Mound & Halsey 1978 White fly of the world: 186, *Rhachisphora.*

Hosts: *Cinnamomum reticulaum, C. zeylanicum, Machilus* sp..

Locality record: Kueitzuchiao, Chiayi , Chiapaotai

Rhachisphora kuraruensis (Takahashi 1933)

Dept. Agric. Gov't. Pes. Inst. Formosa Rept. 06 :5 figs., *Dialeurodes (Rhachisphora)* ;Mound & Halsey 1978 White fly of the world: 187, *Rachisphora.*

Host: *Machilus* sp..

Locality record: Kueitzuchiao,

Rhachisphora machili (Takahashi 1932)

Dept. Agric. Gov't. Res. Inst, Formosa Rept. 59: 16, figs., *Dialeurodes (Rachisphora)* ; Mound & Halsey 1978 White fly of the world: 187, *Rhachisphora.*

Host: *Machilus* sp..

Locality record: Hsintien, Wulai, Yangmingshan, Tungshih, Chinyang

Rhachisphora maesae (Takahashi 1932)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 18, figs., *Dialeurodes (Rhachisphora)* ; Mound & Halsey 1978 White fly of the world: 187, *Rhachisphora.*

Host: *Maesa japonica.*

Locality record: Wulai.

Rhachisphora reticulata(Takahashi 1933)

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 7, figs., *Dialeurodes (Rhachisphora)* ;Mound & Halsey 1978 White fly of the world: 187, *Rhahisphora.*

Host: *Machilus* sp.

Locality record: Kankou.

Genuu **Rusostigma** Guaintance & Baker 1917.

Proc. U. S. Nat. Mus. 51: 420. Type: *Dialeurodes (Rusostigma) radiirugosa* Quaintance & Baker 1917; Takahashi 1963: Kontyu 3149.

Rusostigma tristylii (Takahashi 1935)

Dept. Agric. Gov't. Res. Inst. Formosa Rept.

66: 48, figs., *Dialeurodes*; 1936 Philipp. J. Sci. 59: 218, *Dialeurodes (Rusostigma) tristylii* var. *uchiancoi*; 1963 Kontyu 31:49, *Rusostigma*.

Hosts: *Cleyera(Tristylium) ochnaceum. Eurya* sp.,

Locality record: Peitau, Shihkuei.

Genus **Setaleyrodes** Takahashi 1931

J. Soc. Trop. Agric. Taihoku 3: 221. Type: *Setaleyrodes mirabilis* Takahashi 1931

Setaleyrodes mirabilis Takahashi 1931

J. Soc. Trop. Agric. Taihoku 3: 222, fig. ;1951 Misc. Rep. Res. Inst. Nat. Resourc. Tokyo 19-20: 23, further description.

Host: *Ficus* sp., *Stephania japonica*.

Locality record: Sunchitsun, Wulai.

Setaleyrodes quercicola Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 65, figs..

Host: *Quercus variabilis*.

Locality record: Kueitzuchiao, Chiapaotai.

Genus **Singhius** Takahashi 1932

Dept. Argic. Gov't. Res. Inst. Forrmosa Rept. 59: 14. Type: *Aleyrodes hibisci* (Kontinsky 1907)

Singhius hibisci (Kotinsky 1907)

Bull. Div. Ent. Board Com. Agric. and Forestry Hawaii 2: 96, *Aleyrodes*; Takahashi 1932 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 14, *Dialeurodes (Singhius)* ; Chang 1971 Ann. Rept. Tobacco Res. Inst. TWMB: 3.

Syn. : *Dialeurodes fletcheri* Singh 1931, *Pealius hibisci* (Kotinsky 1907) .

Host : *Bischofia Javanica, Bridelia balansae, B. mononica, B.* sp., *Celtis sinensis, Cinnamomum camphora, Coffea arabica, Elacocarpus serratus, Eucalyptus robusta, Ficus* sp., *Forsythia suspensa, Clochidion fortunei, G. hongkongense, Jasminum* sp., *Lagerstroemia speciosa, L. subcosta, Macaranga tanarius, Machilus* sp., *Magnolia coco, Malpighis glabra, Michelia fuscata, Nephelium litchi, Physalis perviana, Psidium guajava, Salix* sp., *Sapium sebiferum, Vitis vinifera*.

Locality record: Taipei , Hsintien, Wulai, Wutai, Tawu.

Genus **Taiwanaleyrodes** Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 28, Type: *Taiwanaleyrodes meliosmae* Takahashi 1932

Taiwanaleyrodes carpini Takahashi 1939

Kontyu 13: 78, fig. with var. *yushuniae* in Ibid. : 80.

Hosts: *Carpinus* sp., *Sassafras (Yushunia) randaiensis*.

Locality record: Taipingshan.

Taiwanaleyrodes indica (Singh 1931)

Mem. Dept. Agric. India 12: 84, *Aleurothrixus indicus*; Takahashi 1935 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 55, *Taiwanaleyrodes*.

Host: *Machilus* sp..

Locality record: Mutan

Taiwanaleyrodes meliosmae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 28, fig. ; 1951 Misc. Rep. Res. Inst. Nat. Resourc. Tokyo 19—20: 24, pupa case.

Hosts: *Acer kawakamii, Daphniphllum glaucesens, D.* sp., *Machilus* sp., *Meliosma rhoifolia*.

Locality record: Yangmimgshan, Hsintien, Wulai, Yushih.

Taiwanaleyrodes montanus Takahashi 1939

Kontyu 13: 80, fig.

Host: a plant of Lauraceae.

Locality record: Taipingshan.

Genus **Tetraleurodes** Cockerell 1902

Proc. Acad. Nat. Sci. Philad. 54: 283. Type: *Aleyrodes (Tetraleurodes) perileuca* Cockerell 1902; Quaintance & Baker 1914 U. S. Dept. Agric. Bur. Ent. Techn. Ser. 27: 107, as a full genus.

Tetraleurodes graminis Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 67, figs.

Host: ? *Imperata* sp..

Locality record: Hsintien.

Tetraleurodes oplismeni Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept.

63: 66, figs.

Host: *Oplismenus* sp.,

Locality record: Hsintien, Wulai, Puli, Lalashan.

Genus **Trialeurodes** Cockerell 1902

Proc. Acad. Nat Sci. Phil. 54: 283. *Aleyrodes (Trialeurodes)* . Type: *Aleurodes pergandei* Quaintance 1900; Quaintance & Baker 1915 U. S. Dept. Agric. Bur. Ent. Techn. Ser27: 111.

Syn. : *Gymnaleurodes* Sampson & Drews 1940, *Ogivaleurodes* Goux 1951.

Trialeurodes elatostemae Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 39, figs.

Host: *Elastostema* sp..

Locality record: Yangmimgshan, Yushih.

Genus **Tuberaleyrodes** Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 29. Type: *Tuberaleyrodes machili* Takahashi 1932

Tuberaleyrodes bobuae Takahashi 1934

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 58, fig.

Host. *Symplocos (Bobusa) glauca.*

Locality record: Shuishe.

Tuberaleyrodes machili Takahashi 1932

Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 29, fig. ; 1958 Mushi 31; 65, characters; 1935 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66: 56, fig. var. *actinodaphnis.*

Hosts: *Actinodaphne* sp., *Cinnamomum* sp. *C. zeylanicum, Lindera oldhami, Machilus* sp., *Neditsea (Tetradenia)* sp..

Locality record: Taipingshan, Wulai, Mutan, Chiapaotai, Wutai, Chuifen, Chihpen, Hsintien, Lalashan, Chiayi , Kueitzuchiao, Kankou, Oluanip, Paoshan. Shuishe.

Subfamily **ALEURODICINAE**

Genus **Aleurodicus** Douglas 1932

Ent. M. Mag 28: 32. Type: *Aleurodicus anonae* Morgan 1892=*Aleurodes cocois* Curtis 1846; Quaintance & Baker 1908 Genera Insect. 87: 8.

Aleurodius machili Takahashi 1931

Trans. Nat. Hist. Soc. Formosa 21: 208, figs. ;1932 Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 7, *Aleurodicus formosanus* Takahashi; Mound & Halsey 1978 White fly of the world: 234, noted as the third instar larvae of *Aleurodicus machili.*

Hosts: *Actinodaphne pedicellata, Cinnamomum* sp., *Machilus* sp..

Locality record: Taipei .Yangmingshan. Hsintien, Yuanshan, Wulai, Kueishan, Kuangyingshan, Kueitzechiao, Chinyang, Taipingshan,

Host plant index of whiteflies of Taiwan, Republic of China

Abution avicennae (Malvaceae)
Bemisia tabaci (Gennadius)
Acalypha hispida (Euphorbiaceae)
Bemisia tabaci (Gennadius)
Acer sp. (Aceraceae)
Parabemisia aceris (Takahashi)
Taiwanaleyrodes meliosmae Takahashi
Achras sapota (Sapotaceae)
Aleurotuberculatus psidii (Singh)
Dialeurodes cinnamomum Takahashi
Actinodaphne pedicellata (Lauraceae)
Aleurodicus machili Takahashi
Actinodaphne sp. (Lauraceae)
Dialeurodes subrotunda Takahashi
Tuberaleyrodes machili Takahashi
Adinandra sp. (Theaceae)
Rhachisphora fici (Takahashi)
Aglma see *Schefflera*
Alnus formosana (Betulaceae)
Aleuroplatus pectiniferus Quaintance &Baker
Althea rosea (Malvaceae)
Bemisia tabaci (Gennadius)
Alysicarpus vaginalis (Lgeuminose)
Bemisia tabaci (Gennadius)
Amaranthus blitum (Amaranthaceae)
Bemisia tabaci (Gennadius)
Amaranthus spinosus (Amaranthaceae)
Bemisia tabaci (Gennadius)

Anona reticulata (Annonaceae)
Aleurocanthus spiniferus (Quaintance)
Anona squamosa (Anonaceae)
Aleurocanthus spiniferus (Quaintance)
Antidesma sp. (Euphorbiaceae)
Aleurothrixus antidesmae Takahashi
Apium graveolens (Umbelliferae)
Bemisia tabaci (Gennadius)
Arachis hypogaea (Leguminose)
Bemisia tabaci (Gennadius)
Aralia sp. (Araliaceae)
Dialeurodes citri (Ashmead)
Ardisia see *Blalhia*
Aster sp. (Compositae)
Bemisia tabaci (Gennadius 1889)
Asttragalus sinicus (Leguminose)
Bemisia tabaci (Gennadius)
Bauhinia purpurea (Caesalpiniaceae)
Bemisia tabaci (Gennadius)
Benincasa hispide (Cucurbitaceae)
Bemisia tabaci (Gennadius)
Bidens bipinnata (Compositae)
Bemisia tabaci (Gennadius)
Bischofia favanica (Euphorbiaceae)
Aleuroplatus pectiniferus Quaintance & Baker
Aleurotrachelus caerulescens Singh
Aleurotuberculatus jasmini Takahashi
Dialeurodes citri (Ashmead)
Bischofia japonica (Euphorbiaceae)
Rachisphora fici (Takahashi)
Bischofia javanica (Euphorbiaceae)
Singhius hibisci (Korinsky)
Bladhia (=*Ardisia*) *sieboldii* (Myrsinaceae)
Aleurolobus philippinensis Quaintance & Baker
Aleurotuberculatus jasmini Takahashi
Dialeurodes bladhiae Takahashi
Dialeurodes citri (Ashmead)
Bladhia (=*Ardisia*) sp. (Myrsinaceae)
Aleurotuberculatus jasmini Takahashi
Aleurotuberculatus suishanus Takahashi
Dialeurodes ardisiae Takahashi
Rhachisphora fici (Takahashi)
Boehmria densiflora (Urtiaceae)
Dialeurodes formosensis
Brassica alboglabra (Cruciferae)
Bemisia tabaci (Gennadius)
Brassica chinensis and var. *oleifera* (Crucifera)
Bemisia tabaci (Gennadius)
Brassica juncea (Cruciferae)
Bemisia tabaci (Gennadius)
Brassica oleraceae and vars. *botrytis* and *capitata*
Bemisia tabaci (Gennadius)
Brassica rapa (Cruciferae)
Bemisia tabaci (Gennadius)
Bridelia balansae (Euphorbiaceae)
Aleurotuberculatus psidiii (Singh)
Singhius hibisci (Kotinsky)
Bridelia mononica (Euphorbiaceae)
Singhius hibisci (Kotinsky)
Bridelia ovata (Euphorbiaceae)
Aleurotuberculatus psidii Singh
Dialeuropora brideliae (Takahashi)
Bridelia sp. (Euphorbiaceae)
Singhius hibisci (Kotinsky)
Callicarpa formosana (Verbenaceae)
Acanthaleyrodes callicarpae Takahashi
Camellia sp. (Theaceae)
Dialeurodes bladhiae Takahashi
Canavalia ensiformis (Leguminose)
Bemisia tabaci (Gennadius)
Capsicum annum (Solanaceae)
Bemisia tabaci (Gennadius)
Carpinus sp. (Betulaceae)
Taiwanaleyrodes carpini Takahashi
Celosia cristata (Amaranthaceae)
Bemisia tabaci (Gennadius)
Celtis sinensis (Ulmaceae)
Aleurotrachelus caerulescens Singh
Aleurotuberculatus jasmini Takahashi
Aleurotuberculatus psidii (Singh)
Apobemisia celti (Takahashi)
Rhachisphora fici (Takahashi)
Singhius hibisci (Kotinsky)
Celtis sp. (Ulmaceae)
Aleurotuberculatus psidii (Singh)
Centrosema pubescens (Leguminose)
Bemisia tabaci (Gennadius)
Chenopodium album (Chenopodiaceae)
Bemisia tabaci (Gennadius)
Chrysanthemum coronarium (Compositae)
Bemisia tabaci (Gennadius)
Chrysanthemum indicum (Compositae)

Bemisia tabaci (Gennadius)
Cinnamomum camphora (Laucraeae)
Aleurocanthus cinnamomi Takahashi
Aleurotuberculatus gordoniae Takahashi
Aleurotuberculatus psidii (Singh)
Dialeurodes cinnamomi Takahashi
Signhius hibisci (Kotinsky)
Cinnamomum camphora var. *nominale* (Lauraceae)
Aleurocanthus cinnamomi Takahashi
Aleurotuberculatus psidii (Singh)
Dialeurodes decempunctata Quaintance & Baker
Cinnamomum japonicum (Lauraceae)
Aleurotuberculatus gordoniae Takahashi
Dialeurodes cinnamomi Takahashi
Pentaleyrodes cinnamomi (Takahashi)
Cinnamomum randaiense (Lauraceae)
Aleurotuberculatus latus Takahashi
Pentaleyrodes cinnamomi (Takahashi)
Cinnamomum reticulatum (Lauraceae)
Rhachisphora koshuensis Yakahashi
Cinnamomum sp. (Lauraceae)
Aleurodicus machili Takahashi
Aleurotuberculatus gnyavae Takahashi
Aleurotubervulatus murrayae (Singh)
Dialeurodes chitinosa Takahashi
Tuberaleyrodes machili Takahashi
Cinnamomum zeylanium (Lauraceae)
Rhachisphora koshuensis Takahashi
Tuberaleryrodes machili Takahashi
Citrullus vulgaris (Cucurbitaceae)
Bemisia tabaci (Gennadius)
Citrus spp. (Rutaceae)
Aleurocanthus spiniferus (Quaintance)
Aleurocanthus spinosus (Kuwana)
Aleurolobus citri Takahashi
Aleurolobus marlatti (Quaintance)
Bemisia giffardi (Kotinsky)
Dialeurodes cinnamomi Takahashi
Dialeurodes citri (Ashmead)
Dialeurodes kirkaldyi (Kotinsky)
Clerodendron sp. (Verbenaceae)
Aleurotuberculatus uraianus Takahashi
Cleyera (=*Tristylium*) *ochnaceum* (Theaceae)
Rusostigma tristylii (Takahashi)
Coffea arabica (Rubiaceae)
Singhius hibisci (Kotinsky)
Corchorus capsularis (Tiliaceae)
Bemisia tabaci (Gennadius)
Coreopsis tectora (Comopsitae)
Bemisia tabaci (Gennadius)
Crotalaria juncea (Leguminosae)
Bemisia tabaci (Gennadius)
Crotalaria sp. (Leguminosae)
Bemisia tabaci (Gennadius)
Cryptocarya chinensis (Lauraceae)
Dialeurodes cinnamomi Takahashi
Pentaleyrodes cinnamomi (Takahashi)
Cucumis melon (Cucurbitaceae)
Bemisia tabaci (Gennadius)
Cucumis sativus (Cucurbitaceae)
Bemisia tabaci (Gennadius)
Cucurbita moschata var. *melonaeformis* (Cucurbitaceae)
Bemisia tabaci (Gennadius)
Cudrania (=*Vanieria*) *cochinchinensis* (Moraceae)
Dialeurodes vanieriae Takahashi
Dalbergia sp. (Leguminosae)
Aleurotrachelus tuberculatus Singh
Damnacanthus indicus var. *formosanus* (Rubiaceae)
Odontaleyrodes damnacanthi (Takahashi)
Daphniphyllum glaucescens (Daphniphyllaceae)
Dialeurodes daphniphylla Takahashi
Dialeurodes multipori Takahashi
Taiwanaleyrodes meliosmae Takahashi
Daphniphyllum membranaceum (Daphniphyllaceae)
Dialeurodes daphniphylli Takahashi
Daphniphyllum sp. (Daphniphyllaceae)
Dialeurodes monticola Takahashi
Taiwanaleyrodes meliosomae Takahashi
Datura stramonaum (Solanaceae)
Bemisia tabaci (Gennadius)
Daucus carota (Umbelliferae)
Bemisia tabaci (Gennadius)
Desmodium intortum (Leguminosae)
Bemisia tabaci (Gennadius)
Decaspermum fruticosum (Myrtaceae)
Aleuroplates pectiniferus Quaintance & Baker
Aleurotuberculatus gordoniae Takahashi
Dianthus chinensis (Caryophyllaceae)
Bemisia tabaci (Gennadius)
Dioscorea rhipogonoides (Dioscoreaceae)
Dialeurodes dioscoreae Takahashi
Diospyros exiantha (Ebenaceae)
Dialeurodes cinnamomi Takahashi
Diospyros kaki (Ebenaceae)

Aleurotrachelus turpiniae Takahashi)
Dialeurodes citri (Ashmead)
Ehretia sp. (Boraginaceae)
Dialeurodes citri (Ashmead)
Dialeurodes cinnamomi Takahashi
Elaeagnus formosana (Elaeagnaceae)
Dialeurodes elaegni Takahashi
Elaeocarpus serratus (Elaeocarpaceae)
Singhius hibisci (Kotinsky)
Parabemisia myricae (Kuwana)
Elatostema lineolatum (Urticaceae)
Aleurotrachelus elatostemae Takahashi
Elatostema sp. (Urtiaceae)
Aleurotuberculatus elatostemae Takahashi
Trialeurodes elatostemae Takahashi
Eriobotrya japonica (Rosaceae)
Aleurocanthus spiniferus (Quaintance)
Erycibe acutifoliae (Convolvulaceae)
Aleurocanthus spiniferus (Quaintance)
Eucalyptus robusta (Myrtaceae)
Singhius hibisci (Kotinsky)
Eugenia jambos (Myrtaceae)
Aleuroplates pectiniferus Quaintance & Baker
Aleurotuberculatus psidii (Singh)
Dialeurodes cinnamomi Takahashi
Eugenia sp. (Myrtaceae)
Aleurocanthus eugeniae Takahashi
Dialeurodes bladhiae Takahashi
Euphorbia pulcherrima (Euphorbiaceae)
Bemisia tabaci (Gennadius)
Euphoria longana (Sapindaceae)
Aleurotuberculatus psidii (Singh)
Eurya acuminata (Theaceae)
Dialeurodes bladhiae Takahashi
Odontaleyrodes damnacanthi (Takahashi)
Eurya glaberrima (Theaceae)
Dialeurodes euryae Takahashi
Eurya japonica (Theaceae)
Aleurotuberculatus gordoniae Takahashi
Eurya sp. (Theaceae)
Aleurotuberculatus gordoniae Takahashi
Dialeurodes bladhcae Takahashi
Evodia roxburgiana (Rosaceae)
Aleuroplates pectiniferus Quaintance & Baker
Fagara see *Zanthoxylum*
Ficus beecheyana (Moraceae)
Pealius longispinus Takahashi
Ficus foveolata (Moraceae)
Aleutotuberculatus ficicola Takahashi
Ficus pumila (Moraceae)
Apobemisia kuwanai (Takahashi)
Ficus retusa (Moraceae)
Aleuroplatus fici Takahashi
Aleurotuberculatus ficicola Takahashi
Aleutotuberculatus gordoniae Takahashi
Ficus rigida (Moraceae)
Aleurotuberculatus ficicola Takahashi
Dialeurodes ficicola Takahsahi
Ficus sp. (Moraceae)
Aleurotuberculatus ficicola Takahashi
Apobemisia kuwanai (Takahashi)
Setaleyrodes mirabilis Takahashi
Singhius hibisci (Kotinsky)
Ficus swinhoei (Moraceae)
Aleuroplatus fici Takahashi
Rhachisphora fici (Takahashi)
Ficus vasculosa (Moraceae)
Aleuroplatus pectiniferus Quaintance & Baker
Rhachisphora fici (Takahashi)
Ficus wightiana (Moraceae)
Rachisphora fici Takahashi
Fissistigma oldhami (Annonaceae)
Aleurotrachelus fissistigmae Takahashi
Forsythia suspensa (Myrtaceae)
Bemisia tabaci (Gennadius)
Singhius hibisci (Kotinsky)
Fragaria grandiflora (Rosaceae)
Dialeurodes decempunctata Quaintance & Baker
Gardenia angusta (Rubiaceae)
Aleurocanthus spinosus (Kuwana)
Gardenia florida (Rubiaceae)
Aleurolobus philippinensis Quaintance & Baker
Aleurotrachelus caerulescens Singh
Dialeurodes citri (Ashmead)
Gardenia sp. (Rubiaceae)
Dialeurodes kirkaldyi (Kotinsky)
Gerbera jamesonii (Compositae)
Bemisia tabaci (Gennadius)
Glochidion fortunei (Euphorbiaceae)
Dialeurodes decempuncta Quaintance & Baker
Singhius hibisci (Kotinsky)
Glochidion hongkongense (Euphorbiaceae)
Singhius hibisci (Kotinsky)
Glochidion sp. (Euphorbiaceae)
Dialeurodes citri (Ashmead)
Glycine javanica (Leguminosae)

Bemisia tabaci (Gennadius)
Glycine koidzumii (Leguminosae)
Bemisia tabaci (Gennadius)
Gomphrena globosa (Amaranthaceae)
Bemisia tabaci (Gennadius)
Gordonia anomala (Theaceae)
Aleuroplatus pectiniferus Quaintance & Baker
Aleutotuberculatus gordoniae Takahashi
Gordonia axillaris (Theaceae)
Aleutotuberculatus gordoniae Takahashi
Gordonia jasminoides (Theaceae)
Dialeurodes citri (Ashmead)
Gordonia sp. (Theaceae)
Aleurotubervulatus gordoniae Takahashi
Gossipium hirsutum (Malvaceae)
Bemisia tabaci (Gennadius)
Gossypium sp. (Malvaceae)
Bemisia tabaci (Gennadius)
Grass (Graminae)
Bemisia formosana Takahashi
Gymnosporia diversifolia (Celastraceae)
Aleurocanthus woghumi Ashby
Hedera formosana (Araliaceae)
Aleurolobus hederae Takahashi
Dialeurodes citri (Ashmead)
Helianthus annuus (Compositae)
Bemisia tabaci (Gennadius)
Helicia cochinchinensis (Proteaceae)
Aleurotuberculatus psidii (Singh)
Bemisia tabaci (Gennadius)
Helicia formosana (Proteaceae)
Aleutotuberculatus murrayae (Singh)
Helicia sp. (Proteaceae)
Dialeurodes citri (Ashmead)
Hibiscus cannabinus (Malvaceae)
Bemisia tabaci (Gennadius)
Hibiscus esculentus (Malvaceae)
Bemisia tabaci (Gennadius)
Hibiscus rosa-sinensis (Malvaceae)
Singhius hibisci (Kotinsky)
Bemisia tabaci (Gennadius)
Hibiscus sabdariffa and var. *altissima* (Malvaceae)
Bemisia tabaci (Gennadius)
Hiptage bengalensis (Malpighiaceae)
Dialeurodes citri (Ashmead)
Dialeurodes kirkaldyi (Kotinsky)
Hiptage madablota (Malpighiaceae)
Dialeurodes cotri (Ashmead)
Dialeurodes kirkaldyi (Kotinsky)
Ilex crenata (Aquifoliaceae)
Dialeurodes formosaensis Takahashi
Ilex pubescens (Aquifoliaceae)
Aleurotuberculatus gordoniae Takahashi
Impatiens balsamina (Balsaminaceae)
Bemisia tabaci (Gennadius)
Imperata sp. (Graminae)
Aleurocybotus setigeus Quaintance & Baker
Tetraleurodes graminis Takahashi
Ipomoea batatas (Convolvulaceae)
Bemisia tabaci (Gennadius)
Ipomoea nil (Convolvulaceae)
Bemisia tabaci (Gennadius)
Jasminum sambac (Oleaceae)
Aleutotuberculatus jasmini Takahashi
Jasminum sp. (Oleaceae)
Aleurotuberculatus jasmini Takahashi
Dialeurodes kirkaldyi (Kotinsky)
Singhius hibisci (Kotinsky)
Lactuca sativa (Compositae)
Bemisia tabaci (Gennadius)
Lagenaria vulgaris var. *forma* (Cucurbitaceae)
Bemisia tabaci (Gennadius)
Lagerstromia indica (Lytheaceae)
Aleurotrachelus caerulescens Singh
Aleutotuberculatus lagerstromiae Takahashi
Dialurodes kirkaldyi (Kotinsky)
Lagerstroemia speciosa (Lythraceae)
Singhius hibisci (Kotinsky)
Lagerstromia subcostata (Lythraceae)
Aleurotuberculatus jasmini Takahashi
Singhius hibisci (Kotinsky)
Lauraceae
Aleurotuberculatus suishanus Takahashi
Dialeuropora hassensanensis Takahashi
Taiwanaleyrodes montanus Takahashi
Lespedeza bicolor (Leguminosae)
Bemisia tabaci (Gennadius)
Lindera oldhami (Lauraceae)
Tuberaleyrodes machili Takahashi
Lindera sp. (Lauraceae)
Aleurotrachelus tuberculatus Singh
Linum ustlatissimum (Linaceae)
Bemisia tabaci (Gennadius)
Liquidambar formosana (Hamamelidaceae)
Aleurocanthus spiniferus Quaintance

Aleurotuberculatus gordoniae Takahashi
Aleurotuberculatus guyavae Takahashi
Pealius liquidambari (Takahashi)
Lithocarpus sp. (Fagaceae)
Dialeurodes bladhiae Takahashi
Dialeurodes citri (Ashmead)
Dialeurodes rarasana Takahashi
Lithocarpus ternaticulupa (Fagaceae)
Dialeurodes lithocarpi Takahashi
Lithocarpus uraiana (Fagaceae)
Aleurocanthus mangiferae Quaintance & Baker
Aleutotuberculatus lithocarpi Takahashi
Luffa cylindica (Cucurbitaceae)
Bemisia tabaci (Gennadius)
Lupinu perennis (Leguminosae)
Bemisia tabaci (Gennadius)
Lycium chinensis (Solanaceae)
Bemisia tabaci (Gennadius)
Lycopersicum esculentum (Solanaceae)
Bemisia tabaci (Gennadius)
Macaranga tanarina (Euphorbiaceae)
Bemisia tabaci (Gennadius)
Singhius hibisci (Kotinsky)
Machilus sp. (Lauraceae)
Aleurocanthus cinnamomi Takahashi
Aleurodicus machili Takahashi
Aleurubtoerculatus gordoniae Takahashi
Dialeurodes citri (Ashmead)
Dialeurodes shintenensis Takahashi
Dialeurodes subrotunda Takahashi
Dialeuropora brideliae (Takahashi)
Dialeuropora decampunctata (Quaintance & Baker)
Parabemisia myricae (Kuwana)
Pealius machili Takahashi
Pentaleyrodes cinnamomi (Takahashi)
Rhachisphora koshunensis (Takahashi)
Rhachisphora kuraruensis (Takahashi)
Rhachisphora machili (Takahashi)
Rhachisphora reticulata (Takahashi)
Singhius hibisci (Kotinsky)
Tuberaleyrodes machili Takahashi
Taiwanaleyrodes indica (Singh)
Taiwanaleyrodes meliosmae Takahashi
Machilus thunbergii (Lauraceae)
Aleurotuberculatus gordoniae Takahashi
Machilus zinhoensis (Lauraceae)
Aleutotuberculatus psidii (Singh)
Maesa formosana (Myrsinaceae)
Aleurotrachelus maesae Takahashi
Aleutotuberculatus jasmini Takahashi
Aleuroutberculatus psidii (Singh)
Asialeyrodes maesae (Takahashi)
Maesa japonica (Myrsinaceae)
Aleutotuberculatus psidii (Singh)
Parabemisia myricae (Kuwana)
Rhachisphora maesae (Takahashi)
Maesa sp. (Myrsinaceae)
Aleurotuberculatus jasmini Takahashi
Aleurotuberculatus psdiii (Singh)
Aleurotuberculatus uraianus, Takahashi
Dialeurodes formosensis Takahashi
Magnolia coco (Magnoliaceae)
Aleurotuberculatus jasmini Takahashi
Dialeurodes citri (Ashmead)
Mallotus sp. (Euphorbiaceae)
Acanthaleyrodes callicarpae Takahashi
Aleurotuberculatus malloti Takahashi
Malpighis glabra (Malpighiaceae)
Singhius hibisci (Kotinsky)
Malvascus arboreus var. *drummon* (Malvaceae)
Bemisia tabaci (Gennadius 1889)
Manihot utilissima (Euphorbiaceae)
Rhachisphora fici (Takahashi)
Melastoma candidum (Melastomataceae)
Aleurocanthus spinosus (Kuwana)
Aleurotuberculatus melastomae Takahashi
Meliosma rhoifolia (Sabiaceae)
Dialeurodes citri (Ashmead)
Taiwanaleyrodes meliosmae Takahashi
Meliosma rigida (Sabiaceae)
Aelurocanthus spiniferus (Quaintance)
Dialeurodes citri (Ashmead)
Singhius hibisci (Kotinsky)
Michelia fuscata (Magnoliae)
Singhius hibisci (Kotinsky)
Michelia sp. (Magnoliaceae)
Aleurotrachelus micheliae Takahashi
Miscanthus sp. (Graminae)
Aleurolobus barodensis (Maskell)
Morus alba (Moraceae)
Aleurotuberculatus ficicola Takahashi
Aleutotuberculatus psidii (Singh)
Dialeuropora decempunctata (Quaintance & Baker)
Pealius mori (Takahashi)
Morus sp. (Moraceae)
Aleuroplatus pectiniferus Quaintance & Baker

Murraya exotica (Rutaceae)
Aleurotuberculatus jasmini Takahashi
Murraya paniculata (Rutaceae)
Aleurotuberculatus jasmini Takahashi
Murraya sp. (Rutaceae)
Aleurotubercculatus kuwanai Takahashi
Dialeuropora murrayae (Takahashi)
Myrica rubra (Myricaceae)
Aleurotrachelus caerulescens Singh
Neolitsea acuminatissima (Lauraceae)
Aleutotuberculatus latus Takahashi
Aleurotubercutalus neolitseae Takahashi
Neolitsea (=*Tetradenia*) sp. (Lauraceae)
Tuberaleyrodes machili Takahashi
Nicotiana glutinosa (Solanaceae)
Bemisia tabaci (Gennadius)
Nicotiana tabacum (Solanaceae)
Bemisia tabaci (Gennadius)
Nephelium litchi (=*Lichi chinensis*) (Sapindaceae)
Aleurotuberculatus psidii (Singh)
Dialeurodes cinnamomi Takahashi
Singhius hibisci (Kotinsky)
Oplismenus compositus (Graminae)
Aleurolobus oplismeni Takahashi
Oplismenus sp. (Graminae)
Aleurolobus oplismeni Takahashi
Tetraleurodes oplismeni Takahashi
Oreocnide pedunculata (Urtioaceae)
Aleurotuberculatus multipori Takahashi
Aleurotrachelus elatostemae Takahashi
Osmanthus fragrans (Oleaceae)
Aleurotuberculatus jasmini Takahashi
Aleurotuberculatus psidii (Singh)
Oxalis corniculata (Oxalidaceae)
Bemisia tabaci (Gennadius)
Pachrhizus erosus (Leguminosae)
Aleurotrachelus taiwanus Takahashi
Pachira macrocarpa (Bombaceae)
Aleurotuberculatus jasmini Takahashi
Persca americana (Lauraceae)
Dialeurodes decempunctata Quaintance & Baker
Phaseolus vulgaris and vars. *strip* and *tender* (Leguminosae)
Bemisia tabaci (Gennadius)
Phaseolus atropurpurens var. *siratro* (Leguminosae)
Bemisia tabaci (Gennadius)
Phoebe formosana (Lauraceae)
Pentaleyrodes cinnamomi (Takahashi)
Photinia incida (Rosaceae)
Aleurotuberculatus gordoniae Takahashi
Physalis floridana (Solanaceae)
Bemisia tabaci (Gennadius)
Physalis peruviana (Solanaceae)
Bemisia tabaci (Gennadius)
Singhius hibisci (Kotinsky)
Pieris japonicum (Ericaceae)
Dialeurodes formosensis Takahashi
Piper futokadsura (Piperaceae)
Aleurocanthus spinosus (Kuwana)
Aleurotuberculatus piperis Takahashi
Piper sp. (Piperaceae)
Aleurotuberculatus piperis Takahashi
Aleurotuberculatus uraianus Takahsshi
Dialeurodes piperis Takahashi
Pisum sativus (Leguminosae)
Bemisia tabaci (Gennadius)
Plumeria acuminata (Apocynaceae)
Dialeurodes kirkaldyi (Kotinsky)
Polygonum sp. (Polygonaceae)
Pealius polygoni Takahashi
Polystichum sp. (Aspiaceae)
Mixaleyrodes polystichi Takahashi
Pongamia pinnata (Leguminosae)
Bemisia pongamiae Takaharhi
Pourthiaea benthamiana (Rosaceae)
Aleurotuberculatus gordoniae Takahashi
Prunus salicia (Rosaceae)
Aleurotuberculatus psidii (Singh)
Prunus pyriofolia (Rosaceae)
Aleurotuberculatus psidii (Singh)
Psidium guagava (Myrtaceae)
Aleuocanthus spinosus (Kuwana)
Aleurolobus setigerus Quaintance & Baker
Aleurotuberculatus gordoniae Takahashi
Aleurotuberculatus guyavae Takahashi
Aleurotuberculatus psidii (Singh)
Bemisia tabaci (Gennadius)
Parabemisia myricar (Kuwana)
Singhius hibisci (Kotinsky)
Psychotria serpens (Rubiaceae)
Pealius psychotriae Takahashi
Pyracantha formosana (Rosaceae)
Aleurocanthus woglumi Ashby
Pyracantha koidzumi (Rosaceae)
Aleurotrachelus pyracanthae Takahashi
Aleutotuberculatus pyracanthae Takahashi
Dialeurodes citri (Ashmead)
Pyrus serotina (Rosaceae)

Aleurocanthus spiniferus (Quaintance)
Aleurocanthus spinosus (Kuwana)
Pyrus pyrifolia (Rosaceae)
Dialeurodes citri (Ashmead)
Quercus glauca (Fagaceae)
Pealius kanboensis (Takahashi)
Quercus variabilis (Fagaceae)
Setaleyrodes quercicola Takahashi
Ranunculas japonicus (Ranunculaceae)
Bemisia tabaci (Gennadius)
Raphanus sativus (Cruciferae)
Bemisia tabaci (Gennadius)
Rhamnus formosana (Rhamnaceae)
Rhachisphora fici (Takahashi)
Rhododendron sp. (Ericaceae)
Aleurolobus rhododendri Takahashi
Aleurotuberculatus rhododendri Takahashi
Rhodomyrtus sp. (Myrtaceae)
Aleurolobus setigerus Quaintance & Baker
Ricinus communis (Euphorbiaceae)
Bemisia tabaci (Gennadius)
Rosa sp. (Rosaceae)
Aleurocanthus spiniferus (Quaintance)
Rubus sp. (Rosaceae)
Acanthaleyrodes calliparpae Takahashi
Aleurotrachelus alpinus Takahashi
Aleurotrachelus rubi Takahashi
Dialeuropora decempunctata (Quaintance & Baker)
Pealius rubi Takahashi
Saccharum officinarum (Graminae)
Neomaskellia bergii Signoret)
Salix babylonica (Saliaceae)
Aleurotuberculatus psidii (Singh)
Salix glandulosa var. *warburgi* (Saliaceae)
Aleurocanthus spiniferus (Quaintance)
Asterobemsia yanagicola (Takahashi)
Salix sp. (Saliaceae)
Aleurolobus philippinensis Quaintance & Baker
Asterobemisia yanagicola (Takahashi)
Aleuroplatus pectiniferus Quaintance & Baker
Aleurotrachelus caerulescens Singh
Aleurotuberculatus psidii (Singh)
Pealius mori (Takahashi 1932)
Singhius hibisci (Kotinsky)
Salvia splendens (Labiatae)
Bemisia tabaci (Gennadius)
Sapium sebiferum (Euphorbiaceae)
Singhius hibisci (Kotinsky)
Sarcandra glabra (Chloranthaceae)
Aleurotuberculatus gordoniae Takahashi
Rachisphora fici (Takahashi)
Taiwanaleyrodes carpini Takaharhi
Sassafras (=*Yushunia*) *randaiensis* (Lauraceae)
Aleyrodes taiheisanus Takahashi
Taiwanaleyrodes carpini Takahashi
Schefflera (=*Agalma*) *arboricola* (Araliaceae)
*Aleurotuberculatus gordoniae*Takahahsi
Dialeurodes citri (Ashmead)
Schefflera (*Agalma*) *luttchue nse* (Araliaceae)
Aleurotuberculatus gordoniae Takahashi
Schefflera octophylla (Araliaceae)
Rachisphora fici (Takahashi)
Schefflera(=*Agalma*)*taiwanianum*(Arlaiaceae)
Dialeurodes agalmae Takahashi
Schefflera (=*Heptapleurum*) sp. (Araliaceae)
Dialeurodes formosensis Takahashi
Scolopia oldhami (Flacourtiaceae)
Aleurodes scolopiae Takahashi
Aleurolobus setigerus Quaintance & Baker
Aleurocanthus spinosus (Kuwana)
Aleurocanthus woglumi Ashby
Aleurotrachelus caerulescens Singh
Sesamum indicum (Pedaliaceae)
Bemisia tabaci (Gennadius)
Sloanea dasycarpa (Elaeocarpaceae)
Aleurocanthus spiniferus (Quaintance)
Smilax sp. (Smilaceae)
Aleurothrixus smilaceti Takahashi
Solanum melogen (Solanaceae)
Bemisia tabaci (Gennadius)
Solanum nigrum (Solanaceae)
Bemisia tabaci (Gennadius)
Solanum sp. (Solanaceae)
Aleurotrachelus elatostemae Takahashi)
Solanum tuberosum (Solanaceae)
Bemisia tabaci (Gennadius)
Sonchus oleracea (Compositae)
Aleyrodes shizuokensis Kuwana
Spinacia oleracea (Chenopodiaceae)
Bemisia tabaci (Gennadius)
Stauntonia sp. (Lardizabalaceae)
Daileuropora brideliae (Takahashi)
Stephania japonica (Meispermaceae)
Stealeyrodes mirabilis Takahashi
Stylosanthes gtacilis (Leguminosae)
Bemisia tabaci (Gennadius)
Symplocos (=*Bobusa*) *glauca* (Symplocaceae)

Aleurotuberculatus gordoniae Takahashi
Tuberaleyrodes bobuae Takahishi
Syzygium jambos (Myrtaceae)
Dialeurodes cinnamomi Takahashi
Terminalia catappa (Combretaceae)
Dialeurodes kirkaldyi (Kotinsky)
Tetradenia see *Neolisea*
Tetrastigma umbellata (Vitaceae)
Dialeurodes tetrastigmae Takahashi
Thea sp. (Theacea)
Aleurotuberculatus maesae Takahashi
Tetrastigma umbellata (Vitaceae)
Dialeurodes tetrastigmae Takahashi
Thysanospermum diffisum (Rubiaceae)
Aleurotuberculatus thysanospermi Takahashi
Tristylium see *Cleyera*
Turpinia formosana (Staphyleaceae)
Aleurotrachelus turpiniae Takahashi
Dialeurodes citri (Ashmead)
Urena lobata (Malvaceae)
Aleuroplatus pectinifeus Quaintance & Baker
Bemisia tabaci (Gennadius)
Vanieria see *Cudrania*
Viburnum awabucki (Caprifoliaceae)
Dialeurodes bladhiae Takahashi
Dialeurodes formosensis Takahashi
Dialeuropora viburni (Takahashi)
Vigna repens (Leguminosae)
Bemisia tabaci (Gennadius)
Vigna sinensis (Leguminosae)
Bemisia tabaci (Gennadius)
Vigna sp. (Leguminosae)
Bemisia tabaci (Gennadius)
Vicia dasyearpa (Leguminosae)
Bemisia tabaci (Gennadius)
Vicia faba (Leguminosae)
Bemisia tabaci (Gennadius)
Villebrunea pedunculata (Urtiaceae)
Rhachisphora fici (Takahashi)
Vitis vinifera (Vitaceae)
Aleurotuberculatus psidii (Singh)
Singhius hibisci (Kotinsky)
Wendlania glabrata (Rubiaceae)
Dialeuordes citri (Ashmead)
Yushunia see *Sassafras*
Zanthoxylum (=*Fagara*) *ailanthoides* (Rutaceae)
Rhachisphora fici (Takahashi)
Zanthoxylum (=*Fagara*) *nitida* (Rutaceae)
Aleurocanthus spiniferus (Quaintance)

Reference

Ashby, S. F. 1915, Notes on diseases of cultivated crops observed in 1913-1914. Bull. Dept. Agric. Jamaica 2: 299-327.

Ashmead, W. H. 1885. The orange Aleurodes (*Aleurodes citri* n. sp.) Florida Dispatch 2(42) : 704.

Chang, Y. C. 1967. Studies on the white fly (*Aleurotuberculatus psidii*(Singh)in transmission of tobacco leaf curl, Taiwan Tobacco Res. Inst. :232-240, 8 figs.

1969. Notes on morphology and hosts of Formosan white flies, (1) six species of the genus *Aleurotuberculatus*, Ann. Rep. Taiwan Tobacco Res. Inst. : 189-197.

1969, Host plant and morphological variation of *Bemisia tabaci*, Plant Prot. Taiwan 11: 23-32.

1971 Notes on morphology and hosts of Formosan whiteflies (2) six species of the genus Dialeurodes, Ann. Rept. Tobacco Res. Inst. Tobacco and Wine Monopoly Bureau:1-9.

Gennadius, P. 1889. Disease of tobacco plantations in the Trikonia, The aleurodid of tobacco, Ellenike Georgia 5: 1-3, (in Greek).

Kotinsky, J. 1907. Aleyrodidae of Haiwaii and Fiji with descriptions of new species, Bull. Bd. Commnrs Agric. For. Haiwaii Div. Ent. :93-102.

Kuwana, T. 1911. The white flies of Japan, Pomoma Coll. J. Ent. 3: 620-627.

1927. on the genus *Bemisia* (Fam. Aleyrodidae) found in Japan, with description of a new species, Ann. Zool. Japan. 11: 245-253.

1932. Notes on the Oriental citrus white flies, Hort. Res. 28: 56-63 (in Japanese).

Mound, L. A. and Halsey. S. H. 1978. White flies of the world, A systematic catalogue of the Aleyrodidae (Homoptera) with host plant and natural enemy data, British Museum (Natural History)and John Wiley and Sons, Chichester-New York-Brisbane Toronto: 1-340.

Maskell W. M. 1895. Contributions towards a mo-

nograph of the Aleurodidae, a family of Hemiptera-Homoptera, Trans. Proc. N. Z. Inst. 28: 411-449.

Quaintance, A. L. 1903 New Oriental Aleurodidae, Can. Ent. 35: 61-64. and Baker, A. C. 1913 Classification of the Aleyrodidae Part 1. U. S. D. A. Bur. Ent. Tech. Ser. 277: 93 pp.

1914. Classification on the Aleyrodidae Part 11: U. S. D. A. Bur. Ent. Techn. Ser. 27: 95-109.

1915. Classification of the Contents Aleyrodidae, and Index, U. S. D. A. Bur. Ent. Techn. ser. 27: 111-114.

1917. A contribution to our knowledge of the white flies of the subfamily Aleurodinae(Aleurodidae), Proc. U. S. Nat. Mus. 51: 335-445.

Sampson, W. W. 1943. A generic synopsis of Hemipterous superfamily Aleyrodoidea, Ent. Amer. 23: 173-223.

1947. Additions and corrections to a generic synopsis of Aleyrodoidea, Bull. Brooklyn Ent. Soc. (N. S.) 42: 45-50.

Signoret, V. 1868, Essai monographique sur les aleurodes, Ann. Soc. Ent. Fr. (4) 8: 369-402.

Singh, K. 1931. A contribution towards our knowledge of the Aleyrodidae(white flies) of India, Mem. Dep. Agric. India 12:1-98.

Takahashi. R. 1931. Some whiteflies of Formosa, Parts 1-2, Trans. Nat. Hist Soc. Formosa 21: 203-209, 261-265.

1931. Some Formosan whiteflies, J. Soc. Trop. Agric. Taiwan 3:218-224.

1932. Aleyrodiae of Formosa, Part 1, Dept. Agric. Gov't. Res. Inst. Formosa Rept. 59: 1-57.

1933. Aleyrodidae of Formosa, Part 2, Dept. Agric. Gov't. Res. Inst. Formosa Rept. 60: 1-24.

1934. Aleyrodidae of Formosa, Part 3, Dept. Agric. Gov't. Res. Inst. Formosa Rept. 63: 39-71.

1934. A new whitefly from China, Lingnan Sci. J. 13: 137-141.

1935. Aleyrodidae of Formosa, Part 4, Dept. Agric. Gov't. Res. Inst. Formosa Rept. 66:39-65.

1935. Notes on the Aleyrodidae of Japan (Homoptera) 3 (with Formosan species), Kontyu, Tokyo: 279-283.

1936. Notes on the Aleyrodidae of Japan (Homoptera) 4, Kontyu, Toky. 10: 150-151.

1936. New whiteflies from the Philippines and Formosa(Aleyrodidae, Hemiptera), Philippine J. Sci. 59: 217-221.

1936 Three species of Aleyrodidae from China (Homoptera), Ling. Sci. J. 15: 453-455.

1937. Notes on the Aleyrodidae of Japan (Homoptera) 5, Kontyu, Tokyo 11: 310-311.

1937. Three new species of *Dialeurodes* from China (Homoptera, Aleyrodidae), Ling. Sci. J. 16: 21-25.

1938. A few Aleyrodidae form Mauritius and China (Hemiptera) , Trans. Nat. Hist. Soc. Formosa 28: 27-29.

1938. Notes on the Aleyrodidae of Japan (Homoptera) 6, Kontyu, Tokyo 12: 70-74.

1939 Notes on the Aleyrodidae of Japan 7 (Homoptera) , Kontyu, Tokyo 13: 76-81.

1940. Notes on the Aleyrodidae of Japan (Homoptera) 8, Kontyu, Tokyo 14: 26-32.

1941. Some foreign Aleyrodidae (Homoptera) 3. Species from Hongkong and Mauritius. Trans. Nat. Hist. Soc. Formosa 31: 351-357.

1941. Some foreign Aleyrodidae (Homoptera) 4, Species from Hongkong, Trans. Nat. Hist. Soc. Formosa 31: 388-393.

1951. Some species of Aleyrodidae (Homoptra) from Japan, Misc. Rept. Res. Inst. Nat. Resourc. 19-25.

1952. *Aleurotuberculatus* and *Parabemisia* of Japan (Aleyrodidae, Homoptera), Misc. Rept. Res. Inst. Nat. Resourc. 25: 17-24.

1954. *Aleurolobus* of Japan (Aleyrodidae. Homoptera), Kontyu, Tokyo 20: 49-54.

1954. Key to tribes and genera of Aleyrodidae of Japan, with descriptions of 3 new genera and a new species, Insecta Matsumurana Sapporo 18: 47-54.

1955. *Odontaleyrodes* and *Pealius* of Japan (Aleyrodidae, Homoptera) Mushi 29 (3) : 9-16.

1955. *Bemisia* and *Acanthobemisia* of Japan (Aleyrodidae, Homoptera) Kontyu Tokyo 23: 1-6.

1955. Descriptions of some new and little known species of Aleyrodidae from China and Malaya (Homoptera), Acta Entomologica Sinica, Pek. 5: 233-235.

1957. Some Aleyrodidae from Japan, Insecta Matsumurana, Sapporo 21: 12-21.
1958. *Aleyrodes*, *Tuberaleyrodes* and *Dialeurodes* from Japan, Mushi 31 (7) : 63-38.
1963. Some species of Aleyrodidae from Japan (Homoptera) Kontyu, Tokyo 31: 49-57.
Young, B. 1942. White flies attacking citrus in Szechwan, Sinica 13: 95-101.
1944. Aleurodidae from Szechwan, Sinica 15: 129-144.
1947. On the variation of *Bemisia giffardi* and its relation to plants, Sinica 17: 43-46.

Explanation of localities into Chinese

Changhua 彰化
Chaochow 潮州
Chiapaotai 佳保臺
Chienching 見晴
Chihpen 知本
Chihsingshan 七星山
Chihtuan 池端
Chinyang 金洋
Chuchi 竹崎
Chuifen nr. Taitung 追分
Henchun 恒春
Holuan (nr. Mimotengshi) 合巒
Hsinhua 新化
Hsinpu 新埔
Hsintien 新店
Hsuhai 旭清
Hungmao nr. Tungshih 環山
Juisui 瑞穗
Kanko 乾溝
Kaohsiung 高雄
Kuangyinshan 觀音山
Kuantzuling 關子嶺
Kueishan 龜山
Kueitzuchiao 龜子角
Kulu 古魯
Lalashan 羅羅山
Lileng (nr. Tungshih) 裏冷
Liming 黎明
Liukuei 六龜
Meishan 梅山
Mimotengshi 米摩登溪
Mutan 牡丹
Nengkao 能高
Ouluanpi 鵝鑾鼻
Pahsienshan 八仙山
Panchiao 板橋
Panpien 坂邊
Paoshan 寶山
Peitau 北投
Pingtung 屏東
Sanhsia 三峽
Shanchiao 山脚
Shihkuei 失櫃
Shihtoushan 獅頭山
Shilin 士林
Shuishe 水社
Sunchitsun 四季村
Suo 蘇澳
Taipei 臺北
Taipingshan 太平山
Taitung 臺東
Taoyuan 桃園
Tawu 大武
Tungshih 東勢
Wulai 烏來
Wutai 霧臺
Yangmingshan 陽明山
Yuanshan 圓山
Yushih 幼獅

Index of genera and species of whiteflies from Taiwan

Italicized names are invalid genus or species

Acanthaleyrodes 311
aceris 320
achyanthes 317
actinodaphnis 323
agalmae 317
Aleurocanthus 311
Aleurocybotus 312
Aleurodicus 323
Aleurolobus 312
Aleuroplatus 313
Aleurothrixus 313
Aleurotrachelus 313
Aleurotuberculatus 314
Aleyrodes 316
alpinus 313
antidesmae 313
Apobemisia 316
ardisiae 317
Asialeyrodes 316
Asterbemisia 317
aurantii 318
bahiana 317
barodensis 312
Bemisia 317
bergii 320
bispina 317
bladhiae 317
bobuae 323
bridelae 319
caerulescens 314
callicarpae 311
carpini 322
celti 316
chitinosa 318
cinnamomi 311, 318, 321
citri 312, 318
citricola 312
citricolus 312
citrifolii 318
Corbettella 320
costa-lima 317
damanacanthi 320

daphniphylli 318
decempunctata 319
Dialeurodes 317
Dialeuropora 319
dioscoreae 318
elaeagni 318
elatosiemae 314, 323
emiliae 317
eugeniae 312
euryae 318
fici 313, 321
ficicola 314, 318
fissistigmae 314
fletcheri 322
formosana 312
formosana 317
formosanensis 318
formosanus 323
giffardi 317
golingi 317
gordoniae 314
gossypieperda 317
graminis 322
guyavae 315
hassenzanensis 319
hederae 321
hederae 318
helyi 317
hibisci 317
hidisci 322
inconspcua 317,
indica 322
intermedia 312
Japanaleyrodes 314
jasmini 315
jasminum 317
kankoensis 320
kinyana 318
kirkaldyi 318
koshuensis 231
kushinasii 318
kuraruensis 321
kuwanai 315, 318
lagerstroemiae 315
latus 315
liquidambari 320
lithocarip 315, 318
longicorois 312
longispina 317
longispinus 315
lonicerae 317
machili 320, 321, 323
maesae 314, 316, 321
malloti 315
mangiferae 312
manihotis 317
marlatti 313
melastomae 315
meliosmae 322
micheliae 314
minima 317
miniscua 317
minutus 315
mirabilis 322
Mixaleyrodes 320
montanus 322
monticola 319
mori 320
mosaicinectura 317
multipori 315, 319
murrayae 315,
myrica 320
neolitsease 315, 319
Neomaskellia 320
nigeriensis 317
Odontaleyrodes 320
oplismeni 313, 322
Parabemisia 320
Pealius 320
pectiniferus 313
Pentaleyrodes 321
philippinensis 313
piperis 315, 319
polygoni 320
polystichi 320
pongamiae 317
psidii 316
psychotriae 321
punjabensis 312
pyracanthae 316
pyracanthus 314
quercicola 322
raishana 321
rarasana 319
reticulata 321
Rhachisphora 321
rhodesiaensis 317
rhododendri 313, 316
rosae 312
Roucasia 317
rubi 314, 321
Rusostigma 321
scolopiae 313
Setaleyrodes 322
setiferus 312
setigera 319
setigerus 313, 319
shitenensis 319
shizuokensis 316
signata 317
Singhius 322
smilaceti 313
spinifera 312
spiniferus 312, 313
spinosus 311, 312
subrotunda 319
suishanus 316
tabaci 317
taiheisanus 316
Taiwanaleyrodes 323
taiwanus 314
Tetraleurodes 322
tetrastigmae 319
thysanospermi 316
Trialeurodes 322
tristylii 322
Tuberaleyrodes 323
tuberculatus 314, 318
turpiniae 314
uichancio 321
uraianus 316
vanieriae 319
vasyssierei 317
viburni 319
woglumi 312
yanagicola 317